

# 锂电池跌落测试报告

# **Lithium Battery Drop Test Report**

样品名称 LiFePO<sub>4</sub> Battery E&J LiFePO<sub>4</sub> 12.8V 4.5Ah

(Sample Description) (12.8V-4.5Ah, Cell Model 18650)

委托单位 E&J Technology Group Co., Ltd

(Applicant) E&J Technology Group Co., Ltd

(Manufacturer)



No.: H09243043021D

Code: xutsve



Report ID: H09243043021D~1 Page 1 of 2



#### SAMPLE DESCRIPTION

Sample Name	LiFePO <sub>4</sub> Battery	Battery Type	E&J LiFePO <sub>4</sub> 12.8V 4.5Ah (12.8V-4.5Ah, Cell Model 18650)		
Client	E&J Technology Group Co., Ltd				
Manufacturer	E&J Technology Group Co., Ltd				
Nominal Voltage	12.8V	Rated Capacity	4500mAh		
Outer package	Corrugated Carton	Inner package	Corrugated Carton, Plastic Bag		
Dimensions	395×276×97mm	Cushion	Plastic Foam		
Gross weight	6.765KG	Battery number	12Pcs/packing		
Client date	2013-09-24	Finished date	2013-10-21		
Packaging type	Package including lithium batteries.				

#### II. REFERENCE METHOD

《Recommendations On The Transport Of Dangerous Goods-Model Regulations》 (17<sup>th</sup>)

#### III. TEST ITEM

1.2m Drop test Gross Weight Measure

#### IV. CONCLUSION

This package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery contact and without release of contents. The weight of the package is 6.765kg gross mass.

Prepared by: Xia Zhashong Checked by: Lengung Approved by:

Approval Date: October 21, 2013

Report ID: H09243043021D~1 Page 2 of 2



### V. TEST METHOD

《Recommendations On The Transport Of Dangerous Goods-Model Regulations》(17th) Special Provision 188 of Chapter 3.3.

# VI. TEST APPARATUS

IE-0279 Drop test system IE-0178 BALANCE

#### VII. TEST ENVIRONMENT CONDITION

Ambient temperature: 20~25 (°C) Ambient humidity: 50~60 (%)

# VIII. TEST DATA

1.2m Drop test	Side	Edge	Angle
Test Result		The package is not cracked, the contents are not damaged and not shifted.	cracked, the contents
Conclusion	Passed		

Test Item	Gross Weight Measure		
Test Result	6.765kg		
Conclusion	Passed		

\*\*\* End of report \*\*\*