

Ni-MH Cylindrical Rechargeable Battery Cells

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions		Standard Charge		Rapid Charge		Approx Weight (g)
				Diameter (mm)	Height (mm)	Current (mA)	Time (h)	Current (mA)	Time (h)	
AAAA	EJH-7/5AAAA650	1.2	650	8.5	67	65	16	650	1.2	13
AAAA	EJH-5/4AAAA450	1.2	450	8.5	52	45	16	450	1.2	9.5
AAAA	EJH-300AAAA300	1.2	300	8.5	42.5	30	16	300	1.2	7.5
AAAA	EJH-2/3AAAA210	1.2	210	8.5	28	21	16	210	1.2	5
AAAA	EJH-1/3AAAA60	1.2	60	8.5	15	6	16	60	1.2	2.4
AAA	EJH-1/4AAA80	1.2	80	10.5	11	8	16	80	1.2	2.5
AAA	EJH-1/3AAA120	1.2	120	10.5	15.2	12	16	120	1.2	3.5
AAA	EJH-1/2AAA230	1.2	230	10.5	21	23	16	230	1.2	5.2
AAA	EJH-1/2AAA230	1.2	230	10.5	22	23	16	230	1.2	5.3
AAA	EJH-1/2AAA240	1.2	240	10.5	23	24	16	240	1.2	5.3
AAA	EJH-1/2AAA260	1.2	260	10.5	23	26	16	260	1.2	5.5
AAA	EJH-2/3AAA300	1.2	300	10.5	29	30	16	300	1.2	7
AAA	EJH-2/3AAA200	1.2	200	10.5	29	20	16	200	1.2	6.8
AAA	EJH-4/5AAA500	1.2	500	10.5	36	50	16	500	1.2	9.5
AAA	EJH-4/5AAA550	1.2	550	10.5	38	55	16	550	1.2	10.5
AAA	EJH-AAAC800	1.2	800	10.5	44.5	80	16	800	1.2	12.5
AAA	EJH-AAAC700	1.2	700	10.5	44.5	70	16	700	1.2	11.8
AAA	EJH-AAAC600	1.2	600	10.5	44.5	60	16	600	1.2	11.6
AAA	EJH-AAAC550	1.2	550	10.5	44.5	55	16	550	1.2	11.5
AAA	EJH-AAA500	1.2	500	10.5	44.5	50	16	500	1.2	11
AAA	EJH-AAA650	1.2	650	10.5	44.5	65	16	650	1.2	12.5
AAA	EJH-5/4AAA650	1.2	650	10.5	50	65	16	650	1.2	13.6
AAA	EJH-5/4AAA700	1.2	700	10.5	50	70	16	700	1.2	14
AAA	EJH-5/4AAA750	1.2	750	10.5	50	75	16	750	1.2	14.5
AAA	EJH-7/5AAA750	1.2	750	10.5	68	75	16	750	1.2	15
AAA	EJH-7/5AAA900	1.2	900	10.5	68	90	16	900	1.2	18
AAA	EJH-7/5AAA1000	1.2	1000	10.5	68	100	16	1000	1.2	19
AA	EJH-1/3AA350	1.2	350	14.5	17	35	16	350	1.2	7.4
AA	EJH-1/2AA600	1.2	600	14.5	25	60	16	600	1.2	11.2
AA	EJH-2/3AA650	1.2	650	14.5	29	65	16	650	1.2	12.7
AA	EJH-2/3AA700	1.2	700	14.5	29	70	16	700	1.2	12.5
AA	EJH-2/3AA800	1.2	800	14.5	29	80	16	800	1.2	13
AA	EJH-3/4AA800	1.2	800	14.5	34	80	16	800	1.2	17.3
AA	EJH-3/4AA1000	1.2	1000	14.5	38.5	100	16	1000	1.2	17.5
AA	EJH-4/5AA1100	1.2	1100	14.5	43.5	110	16	1100	1.2	21.2
AA	EJH-4/5AA1200	1.2	1200	14.5	43.5	120	16	1200	1.2	22.2
AA	EJH-AA600	1.2	600	14.5	49.5	60	16	600	1.2	17
AA	EJH-AA700	1.2	700	14.5	49.5	70	16	700	1.2	18
AA	EJH-AA800	1.2	800	14.5	49.5	80	16	800	1.2	19
AA	EJH-AA900	1.2	900	14.5	49.5	90	16	900	1.2	21
AA	EJH-AA1000	1.2	1000	14.5	49.5	100	16	1000	1.2	22.5
AA	EJH-AA1200	1.2	1200	14.5	49.5	120	16	1200	1.2	24.5
AA	EJH-AA1300	1.2	1300	14.5	49.5	130	16	1300	1.2	25.5
AA	EJH-AA1500	1.2	1500	14.5	49.5	150	16	1500	1.2	26
AA	EJH-AA1600	1.2	1600	14.5	49.5	160	16	1600	1.2	26.5
AA	EJH-AA1800	1.2	1800	14.5	50	180	16	1800	1.2	28.5
AA	EJH-AAC600	1.2	600	14.5	50.5	60	16	600	1.2	15.5
AA	EJH-AAC700	1.2	700	14.5	50.5	70	16	700	1.2	17

AA	EJH-AAC800	1.2	800	14.5	50.5	80	16	800	1.2	19
AA	EJH-AAC1000	1.2	1000	14.5	50.5	100	16	1000	1.2	22.5
AA	EJH-AAC1100	1.2	1100	14.5	50.5	110	16	1100	1.2	22.5
AA	EJH-AAC1200	1.2	1200	14.5	50.5	120	16	1200	1.2	22.6
AA	EJH-AAC1300	1.2	1300	14.5	50.5	130	16	1300	1.2	22.6
AA	EJH-AAC1500	1.2	1500	14.5	50.5	150	16	1500	1.2	26
AA	EJH-AAC1600	1.2	1600	14.5	50.5	160	16	1360	1.2	26.5
AA	EJH-AAC1800	1.2	1800	14.5	50.5	180	16	1800	1.2	29
AA	EJH-AAC2000	1.2	2000	14.5	50.5	200	16	1000	2.3	29.5
AA	EJH-AAC2100	1.2	2100	14.5	50.5	210	16	1050	2.3	30
AA	EJH-AAC2350	1.2	2350	14.5	50.5	235	16	1175	2.2	30.5
AA	EJH-7/5AA1800	1.2	1800	14.5	65.5	180	16	1800	1.2	31
AA	EJH-7/5AA2100	1.2	2100	14.5	65.5	210	16	2100	1.2	32
AA	EJH-7/5AA2400	1.2	2400	14.5	65.5	240	16	2400	1.2	33
A	EJH-1/3A550	1.2	550	17	17	55	16	550	1.2	10
A	EJH-2/3A1000	1.2	1000	16.8	28.5	100	16	1000	1.2	19.5
A	EJH-2/3A900	1.2	900	17	29.2	90	16	900	1.2	18.8
A	EJH-2/3A1200	1.2	1200	17	29.2	120	16	1200	1.2	21.5
A	EJH-4/5A1800	1.2	1800	17	43	180	16	1800	1.2	30
A	EJH-4/5A2100	1.2	2100	17	43	210	16	1050	2.3	35
A	EJH-A2100	1.2	2100	17	50	210	16	2100	1.2	33
A	EJH-A2500	1.2	2500	17	50	250	16	1250	2.3	37.5
A	EJH-7/5A2500	1.2	2500	17	67.5	250	16	2500	1.2	40
A	EJH-7/5A3600	1.2	3600	17	67.5	360	16	3600	1.2	58
A	EJH-7/5A3800	1.2	3800	17	67.5	380	16	3800	1.2	60
18650	EJH-FR3600	1.2	3600	18.5	65.5	360	16	1800	2.3	60
18650	EJH-FR3800	1.2	3800	18.5	65.5	380	16	1900	2.3	61
18650	EJH-FR4000	1.2	4000	18.5	65.5	400	16	2000	2.3	62
18650	EJH-FR4200	1.2	4200	18.5	65.5	420	16	2100	2.3	62.5
18670	EJH-FR3600	1.2	3600	18.5	67.5	360	16	1800	2.3	60
18670	EJH-FR3800	1.2	3800	18.5	67.5	380	16	1900	2.3	62
18670	EJH-FR4000	1.2	4000	18.5	67.5	400	16	2000	2.3	63
18670	EJH-FR4200	1.2	4200	18.5	67.5	420	16	2100	2.3	64.5
SC	EJH-4/5SC1800	1.2	1800	23	34	180	16	1800	1.2	36.5
SC	EJH-4/5SC2200	1.2	2200	23	34	220	16	2200	1.2	43
SC	EJH-SC1200	1.2	1200	23	43	120	16	1200	1.2	34
SC	EJH-SC1500	1.2	1500	23	43	150	16	1500	1.2	38
SC	EJH-SC1800	1.2	1800	23	43	180	16	1800	1.2	41.5
SC	EJH-SC2000	1.2	2000	23	43	200	16	2000	1.2	43.5
SC	EJH-SC2300	1.2	2300	23	43	230	16	2300	1.2	54
SC	EJH-SC2500	1.2	2500	23	43	250	16	2500	1.2	56
SC	EJH-SC2800	1.2	2800	23	43	280	16	2800	1.2	59
SC	EJH-SC3000	1.2	3000	23	43	300	16	3000	1.2	61.2
SC	EJH-SC3300	1.2	3300	23	43	330	16	3300	1.2	62
C	EJH-C2400	1.2	2400	26.0	50.0	240	16	2400	1.2	57.4
C	EJH-C4000	1.2	4000	26.0	50.0	400	16	4000	1.2	77.5
C	EJH-C4500	1.2	4500	26.0	50.0	450	16	2250	2.3	86.6
C	EJH-C5000	1.2	5000	26.0	50.0	500	16	2500	2.3	90
D	EJH-DC6500	1.2	6500	33.0	61.5	650	16	3250	2.3	143.5
D	EJH-D7000	1.2	7000	33.0	61.5	700	16	3500	2.3	161.0
D	EJH-D8000	1.2	8000	33.0	61.5	800	16	4000	2.3	165.0
D	EJH-D9000	1.2	9000	33.0	61.5	900	16	4500	2.3	170.0
F	EJH-F12000	1.2	12000	33.0	91.0	1200	16	6000	2.3	245

F	EJH-F13000	1.2	13000	33.0	91.0	1300	16	6500	2.3	255
F	EJH-F14000	1.2	14000	33.0	91.0	1400	16	7000	2.3	265

Ni-MH Prismatic Rechargeable Battery Cells

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions T*W*H (mm)	Standard Charge		Rapid Charge		Approx Weight (g)
					Current (mA)	Time (h)	Current (mA)	Time (h)	
7/5F6T	EJH-1200 7/5F6T	1.2	1200	17.0×6.1×76.2	120	15	240	6.5	28
7/5F6	EJH-1500 7/5F6	1.2	1500	17.0×6.1×76.2	150	15	750	2.3	28.5
(LF6)	EJH-1350 7/5F6C	1.2	1350	17.0×6.1×67.0	135	15	675	2.3	26
(LF6)	EJH-1200 7/5F6C	1.2	1200	17.0×6.1×67.0	120	15	600	2.3	25.7
(LF6)	EJH-1200 7/5F6	1.2	1200	17.0×6.1×67.0	120	15	600	2.3	26.1
(LF6)	EJH-1100 7/5F6C	1.2	1100	17.0×6.1×67.0	110	15	1100	1.2	25.5
(LF6)	EJH-1100 7/5F6	1.2	1100	17.0×6.1×67.0	110	15	1100	1.2	26.4
(LF6)	EJH-900 7/5F6C	1.2	900	17.0×6.1×67.0	90	15	900	1.2	23.5
(LF6)	EJH-900 7/5F6	1.2	900	17.0×6.1×67.0	90	15	900	1.2	23.5
(LF6)	EJH-700 7/5F6	1.2	700	17.0×6.1×67.0	70	15	700	1.2	21.5
F6	EJH-850 F6C	1.2	850	17.0×6.1×48.0	85	15	850	1.2	18.5
F6	EJH-800 F6	1.2	800	17.0×6.1×48.0	80	15	800	1.2	18
F6	EJH-750 F6C	1.2	750	17.0×6.1×48.0	75	15	750	1.2	18.5
F6	EJH-750 F6	1.2	750	17.0×6.1×48.0	75	15	750	1.2	18
F6	EJH-600 F6C	1.2	600	17.0×6.1×48.0	60	15	600	1.2	17
F6	EJH-600 F6	1.2	600	17.0×6.1×48.0	60	15	600	1.2	17
4/5F6	EJH-600 4/5F6	1.2	600	17.0×6.0×37.0	60	15	600	1.2	13.5
4/5F6	EJH-550 4/5F6	1.2	550	17.0×6.0×37.0	55	15	550	1.2	13.5
4/5F6	EJH-520 4/5F6C	1.2	520	17.0×6.0×35.8	52	15	520	1.2	13.5
4/5F6	EJH-520 4/5F6	1.2	520	17.0×6.0×35.8	52	15	520	1.2	13.5
4/5F6	EJH-450 4/5F6C	1.2	450	17.0×6.0×35.8	45	15	450	1.2	12.5
4/5F6	EJH-450 4/5F6	1.2	450	17.0×6.0×35.8	45	15	450	1.2	12.5
2/3F6	EJH-400 2/3F6	1.2	400	17.0×6.0×30.5	40	15	400	1.2	11.1
3/5F6S	EJH-550 3/5F6S	1.2	550	16.0×6.3×34.0	55	15	550	1.2	13.5
3/5F6S	EJH-520 53/5F6S	1.2	520	16.0×6.3×34.0	52	15	520	1.2	13
3/5F6S	EJH-450 3/5F6S	1.2	450	16.0×6.3×34.0	45	15	450	1.2	12.6
LSD 1/3F6S	EJH-160 1/3F6SLSD	1.2	160	14.5×6.0×21.0	16	15	80	2.3	6.5
LSD 1/3F6S	EJH-180 1/3F6SLSD	1.2	180	14.5×6.0×21.0	18	15	90	2.3	6.8
LSD 1/3F6S	EJH-200 1/3F6SLSD	1.2	200	14.5×6.0×23.5	20	15	100	2.3	7
1/3F6S	EJH-160 1/3F6S	1.2	160	14.5×6.3×21.0	16	15	160	1.2	6
1/3F6S	EJH-180 1/3F6S	1.2	180	14.5×6.3×21.0	18	15	180	1.2	6.1
1/3F6S	EJH-200 1/3F6S	1.2	200	14.5×6.3×21.0	20	15	200	1.2	6.2
1/3F6S	EJH-220 1/3F6S	1.2	220	14.5×6.3×21.0	22	15	220	1.2	6.8
1/3F6S	EJH-280 1/3F6S	1.2	280	14.5×6.3×23.5	28	15	140	2.3	7.3
1/3F6S	EJH-300 1/3F6S	1.2	300	14.5×6.3×23.5	30	15	150	2.3	7.5
F8	EJH-1200 F8C	1.2	1200	17.0×8.2×48.0	120	15	600	2.3	24.5
F8	EJH-1200 F8	1.2	1200	17.0×8.2×48.0	120	15	600	2.3	24.5
F8	EJH-1100 F8	1.2	1100	17.0×8.2×48.0	110	15	1100	1.2	24.5
4/5F8	EJH-850 4/5F8	1.2	850	17.0×8.2×36.0	85	15	850	1.2	18
4/5F8	EJH-750 4/5F8	1.2	750	17.0×8.2×36.0	75	15	750	1.2	17.5

Ni-MH 9V Rechargeable Battery Cells

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions T*W*H (mm)	Standard Charge		Rapid Charge		Approx Weight (g)
					Current (mA)	Time (h)	Current (mA)	Time (h)	

6F22(9.6V)	H9.6V140	9.6	140	26.5×16.8×48.5	14	16	140	1.2	34.5
6F22(9.6V)	H9.6V160	9.6	160	26.5×16.8×48.5	16	16	160	1.2	52
6F22(9.6V)	H9.6V180	9.6	180	26.5×16.8×48.5	18	16	180	1.2	53
6F22(9.6V)	H9.6V200	9.6	200	26.5×16.8×48.5	20	16	200	1.2	54
6F22(9.6V)	H9.6V220	9.6	220	26.5×16.8×48.5	22	16	220	1.2	54.5
6F22(8.4V)	H9V120	8.4	120	26.5×16.8×48.5	12	16	120	1.2	31.5
6F22(8.4V)	H9V140	8.4	140	26.5×16.8×48.5	14	16	140	1.2	46.5
6F22(8.4V)	H9V160	8.4	160	26.5×16.8×48.5	16	16	160	1.2	47.5
6F22(8.4V)	H9V180	8.4	180	26.5×16.8×48.5	18	16	180	1.2	48
6F22(8.4V)	H9V200	8.4	200	26.5×16.8×48.5	20	16	200	1.2	48.5
6F22(8.4V)	H9V220	8.4	220	26.5×16.8×48.5	22	16	220	1.2	49
6F22(8.4V)	H9V 250	8.4	250	26.5×16.8×48.5	25	16	250	1.2	54.5
6F22(8.4V)	H9V280	8.4	280	26.5×16.8×48.5	28	16	140	2.3	55.5
6F22(8.4V)	H9V300	8.4	300	26.5×16.8×48.5	30	16	150	2.3	56
6F22(7.2V)	H7.2V200	7.2	200	26.5×16.8×48.5	20	16	200	1.2	42.5
6F22(7.2V)	H7.2V280	7.2	280	26.5×16.8×48.5	28	16	140	2.3	47.5
6F22(6.0V)	H6.0V200	6	200	26.5×16.8×48.5	20	16	200	1.2	36.5
6F22(6.0V)	H6.0V280	6	280	26.5×16.8×48.5	28	16	140	2.3	40.5
6F22(LSD)	H9V160LSD	8.4	160	26.5×16.8×48.5	16	16	80	2.3	46.5
6F22(LSD)	H9V180LSD	8.4	180	26.5×16.8×48.5	18	16	90	2.3	47.5
6F22(LSD)	H9V200LSD	8.4	200	26.5×16.8×48.5	20	16	100	2.3	48.5
6F22(LSD)	H9V200LSD	8.4	250	26.5×16.8×48.5	25	16	250	2.3	49.5

Ni-MH Button Battery Cells

Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions		Standard Charge		Discharging	Approx Weight (g)
			Diameter (mm)	Height (mm)	Current (mA)	Time (h)		
15H	1.2	15	11.6	2.6	1.5	16	3mA / 1.0V	0.8
20H	1.2	20	11.6	3.1	2	16	4mA / 1.0V	1.5
30H	1.2	40	9.5	5.4	4	16	8mA / 1.0V	2
40H	1.2	40	11.6	5.4	4	16	8mA / 1.0V	2
40H2	1.2	40	11.6	5.4	4	16	8mA / 1.0V	2
60H	1.2	60	15.2	6.1	6	16	12mA / 1.0V	3
80H	1.2	80	15.2	6.1	8	16	16mA / 1.0V	3
80H2	1.2	80	15.4	6.1	8	16	16mA / 1.0V	3
110H	1.2	110	15.4	7.8	11	16	22mA / 1.0V	4.5
160H	1.2	160	23.5 x 15.1 x 5.7		16	16	32mA / 1.0V	5
230H	1.2	230	25.2	6.4	23	16	46mA / 1.0V	11
250H	1.2	250	25.2	6.6	25	16	50mA / 1.0V	11
330H	1.2	330	25.2	8.8	33	16	66mA / 1.0V	13
350H	1.2	350	25.2	9	35	16	70mA / 1.0V	13
450HG	1.2	450	34.1 x 24.1 x 5.7		45	16	90mA / 1.0V	13

High Drain Ni-MH Battery Cells

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions		20A Discharge Time (min)	10C Discharge Time (min)	10C Discharge Average Voltage (V)	IR (mΩ)	Approx Weight (g)
				Diameter (mm)	Height (mm)					
2/3A	EJH-2/3A1100P	1.2	1100	17	28.5		5.0-5.8	1.07		
2/3A	EJH-2/3A1200P	1.2	1200	17	28.5		5.0-6.0	1.13	16	20
2/3A	EJH-2/3A1300P	1.2	1300	17	28.5		5.0-6.0	1.09	12	22
2/3A	EJH-2/3A1400P	1.2	1400	17	28.5		5.0-6.0	1.13	15	21
2/3A	EJH-2/3A1500P	1.2	1500	17	28.5		5.0-6.0	1.17	10	23

2/3A	EJH-2/3A1600P	1.2	1600	17	28.5		5.0-6.0	1.11	10	23
4/5A	EJH-4/5A2000P	1.2	2000	17	42.5	5.0-6.0	5.0-6.0	1.13	8.5	31
AAA	EJH-AAA700P	1.2	700	10.2	44.5		5.0-6.0	1.14	14	13
AA	EJH-AA1600P	1.2	1600	14.3	50.5		5.0-6.0	1.12	12	28.5
4/5SC	EJH-4/5SC2200P	1.2	2200	22.3	33.5	6.0-6.6	5.0-6.0	1.11		41
SC	EJH-SC1300P	1.2	1300	22.3	43		5.0-6.0	1.11	9	34
SC	EJH-SC1500P	1.2	1500	22.3	43		5.0-6.0	1.11	8	38
SC	EJH-SC1700P	1.2	1700	22.3	43		5.0-6.0	1.11	8	40
SC	EJH-SC2000P	1.2	2000	22.3	43	5.0-6.0	5.0-6.0	1.11	8	41
SC	EJH-SC2200P	1.2	2200	22.3	43	6.0-6.6	5.0-6.0	1.11	8	42
SC	EJH-SC2400P	1.2	2400	22.3	43	6.6-7.2	5.0-6.0	1.12	6.5	46
SC	EJH-SC2750P	1.2	2750	22.3	43	7.4-8.4	5.0-6.0	1.12	7	49
SC	EJH-SC3000P	1.2	3000	22.3	43	8.2-9.0	5.0-6.0	1.12	7	53
SC	EJH-SC3300P	1.2	3500	22.3	43	9.0-10.0	6.0-6.6	1.12	6	56
SC	EJH-SC3500P	1.2	3600	22.3	43	10.0-10.5	6.6-7.0	1.13	6	58
SC	EJH-SC3600P	1.2	3600	22.3	43	10.4-10.8	6.8-7.2	1.13	5.5	59
SC	EJH-SC3800P	1.2	3800	23	43	11.2	7.2-7.6	1.14	5.5	62
SC	EJH-SC4000P	1.2	4000	23	43.5	11.8	7.6-8.0	1.14	4.5	64
SC	EJH-SC4200P	1.2	4200	23	43.5		8.4	1.235	4.5	69
SC	EJH-SC4500P	1.2	4500	23	43.5		9	1.24	3	70.5
SC	EJH-SC4600P	1.2	4600	23	43.5		9.2	1.24	1.5	71.5
SC	EJH-SC5000P	1.2	5000	23	43.5		9.9	1.19	2.5	72

Ready To Use Ni-MH Battery Cells

		Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions		Remark
Size	Model			Diameter (mm)	Height (mm)	
AA	EJ50AA1000S	1.2	1000	14.5	50.5	
AA	EJ50AA1500S	1.2	1500	14.5	50.5	
AA	EJ50AA1900S	1.2	1900	14.5	50.5	
AA	EJ50AA1950S	1.2	1950	14.5	50.5	
AA	EJ50AA2000S	1.2	2000	14.5	50.5	
AA	EJ50AA2200S	1.2	2200	14.5	50.5	
AA	EJ50AA2300S	1.2	2300	14.5	50.5	
AAA	EJ44AAA550S	1.2	550	10.5	44.5	
AAA	EJ44AAA750S	1.2	750	10.5	44.5	
AAA	EJ44AAA800S	1.2	800	10.5	44.5	
AAA	EJ44AAA850S	1.2	850	10.5	44.5	
C	EJ50C3700S	1.2	3700	25.8	50	
C	EJ50C4000S	1.2	4000	25.8	50	
D	EJ60D4000S	1.2	4000	33	61.5	
D	EJ60D4500S	1.2	4500	33	61.5	
D	EJ60D8000S	1.2	8000	33	61.5	
9V	EJ9V180S	8.4	180	17.5(T)*26.5(W)*48.5(H)		
9V	EJ9V200S	8.4	200	17.5(T)*26.5(W)*48.5(H)		
9V	EJ9V250S	8.4	250	17.5(T)*26.5(W)*48.5(H)		

High Temperature Ni-MH Battery Cells

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions		Remark
				Diameter (mm)	Height (mm)	

AA	EJH-AA1200HT	1.2	1200	14.5	49.5	1) HT: High temperature battery. 2) High recharge-discharge temperature: 70°C. 3) Float recharge life: 4 year.
AA	EJH-AA1500HT	1.2	1500	14.5	49.5	
A	EJH-A1800HT	1.2	1800	17	49	
A	EJH-A2000HT	1.2	2000	17	49	
SC	EJH-SC2500HT	1.2	2500	23	42.5	
SC	EJH-SC3000HT	1.2	3000	23	42.5	
C	EJH-C4000HT	1.2	4000	25.2	50	
C	EJH-C4500HT	1.2	4500	25.2	50	
1/2D	EJH-1/2D4000HT	1.2	4000	32.1	36	
1/2D	EJH-1/2D5000HT	1.2	5000	32.1	36	
D	EJH-D7000HT	1.2	7000	32.1	60	
F	EJH-F13000HT	1.2	13000	32.1	90	
LA	EJH-LA3000HT	1.2	3000	18	67	
LA	EJH-LA3800HT	1.2	3800	18	70	
LA	EJH-LA4500HT	1.2	4500	18	90	

Low Temperature Ni-MH Battery Cells

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions		Remark
				Diameter (mm)	Height (mm)	
AAA	EJH-AAA600LT	1.2	600	10.5	44.5	1) LT: Low temperature battery. 2) Charged within a temperature range from -10°C - 45°C. 3) Float recharge life: 4 year.
AA	EJH-AAA180LT	1.2	1800	14.5	50	
A	EJH-A2000LT	1.2	2000	17	50	
SC	EJH-SC3000LT	1.2	3000	23	43	
C	EJH-C4000LT	1.2	4000	25.7	49.5	
D	EJH-D8000LT	1.2	8000	33	61.5	