

## Ni-MH Cylindrical Rechargeable Batteries

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimension With Tube		Standard Charge		Rapid Charge		Weight Approx (g)
				Diameter (mm)	Height (mm)	Current (mA)	Time (h)	Current (mA)	Time (h)	
AAAA	EJH-7/5AAAA650	1.2	650	8.5	67	65	15	650	1.2	13
	EJH-5/4AAAA450	1.2	450	8.5	52	45	15	450	1.2	9.5
	EJH-300AAAA300	1.2	300	8.5	42.5	30	15	300	1.2	7.5
	EJH-2/3AAAA210	1.2	210	8.5	28	21	15	210	1.2	5
	EJH-1/3AAAA60	1.2	60	8.5	15	6	15	60	1.2	2.4
AAA	EJH-1/4AAA80	1.2	80	10.5	11	8	15	80	1.2	2.5
	EJH-1/3AAA120	1.2	120	10.5	15.2	12	15	120	1.2	3.5
	EJH-1/2AAA230	1.2	230	10.5	21	23	15	230	1.2	5.2
	EJH-1/2AAA230	1.2	230	10.5	22	23	15	230	1.2	5.3
	EJH-1/2AAA240	1.2	240	10.5	23	24	15	240	1.2	5.3
	EJH-1/2AAA260	1.2	260	10.5	23	26	15	260	1.2	5.5
	EJH-2/3AAA300	1.2	300	10.5	29	30	15	300	1.2	7
	EJH-2/3AAA200	1.2	200	10.5	29	20	15	200	1.2	6.8
	EJH-4/5AAA500	1.2	500	10.5	36	50	15	500	1.2	9.5
	EJH-4/5AAA550	1.2	550	10.5	38	55	15	550	1.2	10.5
	EJH-AAAC800	1.2	800	10.5	44.5	80	15	800	1.2	12.5
	EJH-AAAC700	1.2	700	10.5	44.5	70	15	700	1.2	11.8
	EJH-AAAC600	1.2	600	10.5	44.5	60	15	600	1.2	11.6
	EJH-AAAC550	1.2	550	10.5	44.5	55	15	550	1.2	11.5
	EJH-AAA500	1.2	500	10.5	44.5	50	15	500	1.2	11
	EJH-AAA650	1.2	650	10.5	44.5	65	15	650	1.2	12.5
	EJH-5/4AAA650	1.2	650	10.5	50	65	15	650	1.2	13.6
	EJH-5/4AAA700	1.2	700	10.5	50	70	15	700	1.2	14
	EJH-5/4AAA750	1.2	750	10.5	50	75	15	750	1.2	14.5
	EJH-7/5AAA750	1.2	750	10.5	68	75	15	750	1.2	15
EJH-7/5AAA900	1.2	900	10.5	68	90	15	900	1.2	18	
EJH-7/5AAA1000	1.2	1000	10.5	68	100	15	1000	1.2	19	
AA	EJH-1/3AA350	1.2	350	14.5	17	35	15	350	1.2	7.4
	EJH-1/2AA600	1.2	600	14.5	25	60	15	600	1.2	11.2
	EJH-2/3AA650	1.2	650	14.5	29	65	15	650	1.2	12.7
	EJH-2/3AA700	1.2	700	14.5	29	70	15	700	1.2	12.5
	EJH-2/3AA800	1.2	800	14.5	29	80	15	800	1.2	13
	EJH-3/4AA800	1.2	800	14.5	34	80	15	800	1.2	17.3
	EJH-3/4AA1000	1.2	1000	14.5	38.5	100	15	1000	1.2	17.5
	EJH-4/5AA1100	1.2	1100	14.5	43.5	110	15	1100	1.2	21.2
	EJH-4/5AA1200	1.2	1200	14.5	43.5	120	15	1200	1.2	22.2
	EJH-AA600	1.2	600	14.5	49.5	60	15	600	1.2	17
	EJH-AA700	1.2	700	14.5	49.5	70	15	700	1.2	18

AA	EJH-AA800	1.2	800	14.5	49.5	80	15	800	1.2	19
	EJH-AA900	1.2	900	14.5	49.5	90	15	900	1.2	21
	EJH-AA1000	1.2	1000	14.5	49.5	100	15	1000	1.2	22.5
	EJH-AA1200	1.2	1200	14.5	49.5	120	15	1200	1.2	24.5
	EJH-AA1300	1.2	1300	14.5	49.5	130	15	1300	1.2	25.5
	EJH-AA1500	1.2	1500	14.5	49.5	150	15	1500	1.2	26
	EJH-AA1600	1.2	1600	14.5	49.5	160	15	1600	1.2	26.5
	EJH-AA1800	1.2	1800	14.5	50	180	15	1800	1.2	28.5
	EJH-AAC600	1.2	600	14.5	50.5	60	15	600	1.2	15.5
	EJH-AAC700	1.2	700	14.5	50.5	70	15	700	1.2	17
	EJH-AAC800	1.2	800	14.5	50.5	80	15	800	1.2	19
	EJH-AAC1000	1.2	1000	14.5	50.5	100	15	1000	1.2	22.5
	EJH-AAC1100	1.2	1100	14.5	50.5	110	15	1100	1.2	22.5
	EJH-AAC1200	1.2	1200	14.5	50.5	120	15	1200	1.2	22.6
	EJH-AAC1300	1.2	1300	14.5	50.5	130	15	1300	1.2	22.6
	EJH-AAC1500	1.2	1500	14.5	50.5	150	15	1500	1.2	26
	EJH-AAC1600	1.2	1600	14.5	50.5	160	15	1360	1.2	26.5
	EJH-AAC1800	1.2	1800	14.5	50.5	180	15	1800	1.2	29
	EJH-AAC2000	1.2	2000	14.5	50.5	200	15	1000	2.3	29.5
	EJH-AAC2100	1.2	2100	14.5	50.5	210	15	1050	2.3	30
EJH-AAC2350	1.2	2350	14.5	50.5	235	15	1175	2.2	30.5	
EJH-7/5AA1800	1.2	1800	14.5	65.5	180	15	1800	1.2	31	
EJH-7/5AA2100	1.2	2100	14.5	65.5	210	15	2100	1.2	32	
EJH-7/5AA2400	1.2	2400	14.5	65.5	240	15	2400	1.2	33	
A	EJH-1/3A550	1.2	550	17	17	55	15	550	1.2	10
	EJH-2/3A1000	1.2	1000	16.8	28.5	100	15	1000	1.2	19.5
	EJH-2/3A900	1.2	900	17	29.2	90	15	900	1.2	18.8
	EJH-2/3A1200	1.2	1200	17	29.2	120	15	1200	1.2	21.5
	EJH-4/5A1800	1.2	1800	17	43	180	15	1800	1.2	30
	EJH-4/5A2100	1.2	2100	17	43	210	15	1050	2.3	35
	EJH-A2100	1.2	2100	17	50	210	15	2100	1.2	33
	EJH-A2500	1.2	2500	17	50	250	15	1250	2.3	37.5
	EJH-7/5A2500	1.2	2500	17	67.5	250	15	2500	1.2	40
	EJH-7/5A3600	1.2	3600	17	67.5	360	15	3600	1.2	58
EJH-7/5A3800	1.2	3800	17	67.5	380	15	3800	1.2	60	
18650	EJH-FR3600	1.2	3600	18.5	65.5	360	15	1800	2.3	60
	EJH-FR3800	1.2	3800	18.5	65.5	380	15	1900	2.3	61
	EJH-FR4000	1.2	4000	18.5	65.5	400	15	2000	2.3	62
	EJH-FR4200	1.2	4200	18.5	65.5	420	15	2100	2.3	62.5
18670	EJH-FR3600	1.2	3600	18.5	67.5	360	15	1800	2.3	60
	EJH-FR3800	1.2	3800	18.5	67.5	380	15	1900	2.3	62
	EJH-FR4000	1.2	4000	18.5	67.5	400	15	2000	2.3	63
	EJH-FR4200	1.2	4200	18.5	67.5	420	15	2100	2.3	64.5

SC	EJH-4/5SC1800	1.2	1800	23	34	180	15	1800	1.2	36.5
	EJH-4/5SC2200	1.2	2200	23	34	220	15	2200	1.2	43
	EJH-SC1200	1.2	1200	23	43	120	15	1200	1.2	34
	EJH-SC1500	1.2	1500	23	43	150	15	1500	1.2	38
	EJH-SC1800	1.2	1800	23	43	180	15	1800	1.2	41.5
	EJH-SC2000	1.2	2000	23	43	200	15	2000	1.2	43.5
	EJH-SC2300	1.2	2300	23	43	230	15	2300	1.2	54
	EJH-SC2500	1.2	2500	23	43	250	15	2500	1.2	56
	EJH-SC2800	1.2	2800	23	43	280	15	2800	1.2	59
	EJH-SC3000	1.2	3000	23	43	300	15	3000	1.2	61.2
	EJH-SC3300	1.2	3300	23	43	330	15	3300	1.2	62
C	EJH-C2400	1.2	2400	26.0	50.0	240	15	2400	1.2	57.4
	EJH-C4000	1.2	4000	26.0	50.0	400	15	4000	1.2	77.5
	EJH-C4500	1.2	4500	26.0	50.0	450	15	2250	2.3	86.6
	EJH-C5000	1.2	5000	26.0	50.0	500	15	2500	2.3	90
D	EJH-DC6500	1.2	6500	33.0	61.5	650	15	3250	2.3	143.5
	EJH-D7000	1.2	7000	33.0	61.5	700	15	3500	2.3	161.0
	EJH-D8000	1.2	8000	33.0	61.5	800	15	4000	2.3	165.0
	EJH-D9000	1.2	9000	33.0	61.5	900	15	4500	2.3	170.0
F	EJH-F12000	1.2	12000	33.0	91.0	1200	15	6000	2.3	245
	EJH-F13000	1.2	13000	33.0	91.0	1300	15	6500	2.3	255
	EJH-F14000	1.2	14000	33.0	91.0	1400	15	7000	2.3	265

## Ni-MH Prismatic Rechargeable Batteries

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimension With Tube T*W*H (mm)	Standard Charge		Rapid Charge		Weight Approx (g)
					Current (mA)	Time (h)	Current (mA)	Time (h)	
7/5F6T	EJH-1200 7/5F6T	1.2	1200	17.0×6.1×76.2	120	15	240	6.5	28
7/5F6	EJH-1500 7/5F6	1.2	1500	17.0×6.1×76.2	150	15	750	2.3	28.5
(LF6)	EJH-1350 7/5F6C	1.2	1350	17.0×6.1×67.0	135	15	675	2.3	26
	EJH-1200 7/5F6C	1.2	1200	17.0×6.1×67.0	120	15	600	2.3	25.7
	EJH-1200 7/5F6	1.2	1200	17.0×6.1×67.0	120	15	600	2.3	26.1
	EJH-1100 7/5F6C	1.2	1100	17.0×6.1×67.0	110	15	1100	1.2	25.5
	EJH-1100 7/5F6	1.2	1100	17.0×6.1×67.0	110	15	1100	1.2	26.4
	EJH-900 7/5F6C	1.2	900	17.0×6.1×67.0	90	15	900	1.2	23.5
	EJH-900 7/5F6	1.2	900	17.0×6.1×67.0	90	15	900	1.2	23.5
	EJH-700 7/5F6	1.2	700	17.0×6.1×67.0	70	15	700	1.2	21.5
F6	EJH-850 F6C	1.2	850	17.0×6.1×48.0	85	15	850	1.2	18.5
	EJH-800 F6	1.2	800	17.0×6.1×48.0	80	15	800	1.2	18
	EJH-750 F6C	1.2	750	17.0×6.1×48.0	75	15	750	1.2	18.5
	EJH-750 F6	1.2	750	17.0×6.1×48.0	75	15	750	1.2	18
	EJH-600 F6C	1.2	600	17.0×6.1×48.0	60	15	600	1.2	17
	EJH-600 F6	1.2	600	17.0×6.1×48.0	60	15	600	1.2	17
4/5F6	EJH-600 4/5F6	1.2	600	17.0×6.0×37.0	60	15	600	1.2	13.5
	EJH-550 4/5F6	1.2	550	17.0×6.0×37.0	55	15	550	1.2	13.5
	EJH-520 4/5F6C	1.2	520	17.0×6.0×35.8	52	15	520	1.2	13.5
	EJH-520 4/5F6	1.2	520	17.0×6.0×35.8	52	15	520	1.2	13.5
	EJH-450 4/5F6C	1.2	450	17.0×6.0×35.8	45	15	450	1.2	12.5
	EJH-450 4/5F6	1.2	450	17.0×6.0×35.8	45	15	450	1.2	12.5

2/3F6	EJH-400 2/3F6	1.2	400	17.0×6.0×30.5	40	15	400	1.2	11.1
3/5F6S	EJH-550 3/5F6S	1.2	550	16.0×6.3×34.0	55	15	550	1.2	13.5
	EJH-520 53/5F6S	1.2	520	16.0×6.3×34.0	52	15	520	1.2	13
	EJH-450 3/5F6S	1.2	450	16.0×6.3×34.0	45	15	450	1.2	12.6
LSD 1/3F6S	EJH-160 1/3F6SLSD	1.2	160	14.5×6.0×21.0	16	15	80	2.3	6.5
	EJH-180 1/3F6SLSD	1.2	180	14.5×6.0×21.0	18	15	90	2.3	6.8
	EJH-200 1/3F6SLSD	1.2	200	14.5×6.0×23.5	20	15	100	2.3	7
1/3F6S	EJH-160 1/3F6S	1.2	160	14.5×6.3×21.0	16	15	160	1.2	6
	EJH-180 1/3F6S	1.2	180	14.5×6.3×21.0	18	15	180	1.2	6.1
	EJH-200 1/3F6S	1.2	200	14.5×6.3×21.0	20	15	200	1.2	6.2
	EJH-220 1/3F6S	1.2	220	14.5×6.3×21.0	22	15	220	1.2	6.8
	EJH-280 1/3F6S	1.2	280	14.5×6.3×23.5	28	15	140	2.3	7.3
	EJH-300 1/3F6S	1.2	300	14.5×6.3×23.5	30	15	150	2.3	7.5
F8	EJH-1200 F8C	1.2	1200	17.0×8.2×48.0	120	15	600	2.3	24.5
	EJ-H1200 F8	1.2	1200	17.0×8.2×48.0	120	15	600	2.3	24.5
	EJH-1100 F8	1.2	1100	17.0×8.2×48.0	110	15	1100	1.2	24.5
4/5F8	EJH-850 4/5F8	1.2	850	17.0×8.2×36.0	85	15	850	1.2	18
	EJH-750 4/5F8	1.2	750	17.0×8.2×36.0	75	15	750	1.2	17.5

## Ni-MH 9V Rechargeable Batteries

Size	Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimension With Tube	Standard Charge		Rapid Charge		Weight Approx (g)
				T*W*H (mm)	Current (mA)	Time (h)	Current (mA)	Time (h)	
6F22(9.6V)	H9.6V140	9.6	140	26.5×16.8×48.5	14	15	140	1.2	34.5
	H9.6V160	9.6	160	26.5×16.8×48.5	16	15	160	1.2	52
	H9.6V180	9.6	180	26.5×16.8×48.5	18	15	180	1.2	53
	H9.6V200	9.6	200	26.5×16.8×48.5	20	15	200	1.2	54
	H9.6V220	9.6	220	26.5×16.8×48.5	22	15	220	1.2	54.5
6F22(8.4V)	H9V120	8.4	120	26.5×16.8×48.5	12	15	120	1.2	31.5
	H9V140	8.4	140	26.5×16.8×48.5	14	15	140	1.2	46.5
	H9V160	8.4	160	26.5×16.8×48.5	16	15	160	1.2	47.5
	H9V180	8.4	180	26.5×16.8×48.5	18	15	180	1.2	48
	H9V200	8.4	200	26.5×16.8×48.5	20	15	200	1.2	48.5
	H9V220	8.4	220	26.5×16.8×48.5	22	15	220	1.2	49
6F22(8.4V)	H9V 250	8.4	250	26.5×16.8×48.5	25	15	250	1.2	54.5
	H9V280	8.4	280	26.5×16.8×48.5	28	15	140	2.3	55.5
	H9V300	8.4	300	26.5×16.8×48.5	30	15	150	2.3	56
6F22(7.2V)	H7.2V200	7.2	200	26.5×16.8×48.5	20	15	200	1.2	42.5
	H7.2V280	7.2	280	26.5×16.8×48.5	28	15	140	2.3	47.5
6F22(6.0V)	H6.0V200	6	200	26.5×16.8×48.5	20	15	200	1.2	36.5
	H6.0V280	6	280	26.5×16.8×48.5	28	15	140	2.3	40.5
6F22(LSD)	H9V160LSD	8.4	160	26.5×16.8×48.5	16	15	80	2.3	46.5
	H9V180LSD	8.4	180	26.5×16.8×48.5	18	15	90	2.3	47.5
	H9V200LSD	8.4	200	26.5×16.8×48.5	20	15	100	2.3	48.5
	H9V200LSD	8.4	250	26.5×16.8×48.5	25	15	250	2.3	49.5

## NiMH Button Cell

Model	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimensions(mm)		Standard Charge		Discharging	Weight Approx (g)
			Diameter	Height	Current(mA)	Time (h)		
15H	1.2	15	11.6	2.6	1.5	16	3mA / 1.0V	0.8
20H	1.2	20	11.6	3.1	2	16	4mA / 1.0V	1.5
30H	1.2	40	9.5	5.4	4	16	8mA / 1.0V	2
40H	1.2	40	11.6	5.4	4	16	8mA / 1.0V	2
40H2	1.2	40	11.6	5.4	4	16	8mA / 1.0V	2
60H	1.2	60	15.2	6.1	6	16	12mA / 1.0V	3
80H	1.2	80	15.2	6.1	8	16	16mA / 1.0V	3
80H2	1.2	80	15.4	6.1	8	16	16mA / 1.0V	3
110H	1.2	110	15.4	7.8	11	16	22mA / 1.0V	4.5
160H	1.2	160	23.5 x 15.1 x 5.7		16	16	32mA / 1.0V	5
230H	1.2	230	25.2	6.4	23	16	46mA / 1.0V	11
250H	1.2	250	25.2	6.6	25	16	50mA / 1.0V	11
330H	1.2	330	25.2	8.8	33	16	66mA / 1.0V	13
350H	1.2	350	25.2	9	35	16	70mA / 1.0V	13
450HG	1.2	450	34.1 x 24.1 x 5.7		45	16	90mA / 1.0V	13